

Certificate of constancy of performance

0769 – CPR – 6162/02

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Glued Laminated Timber Product specifications see page 2

produced by

Hüttemann Wismar GmbH + Co. KG

Am Torney 14, 23996 Wismar, Germany

and produced in the manufacturing plant

Hüttemann Wismar GmbH + Co. KG

Am Torney 14, 23996 Wismar, Germany

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard

EN 14080:2013

under system 1 are applied and that

the product fulfils all the prescribed requirements set out above.

This certificate was first issued on 27 July 2015 and will remain valid, provided that the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Karlsruhe, 27 July 2015



Head of the certification body



Univ.-Prof. Dr.-Ing. H. J. Blaß

Construction Product:

Glued Laminated Timber

Strength Classes:	GL 24, GL 28, GL 30 and GL 32c
Wood Species:	Spruce / Fir, Pine
Type of Adhesive:	MUF
Reaction to Fire:	D-s2, d0
Formaldehyde Emission:	E1
Natural Durability:	Spruce / Fir: 4 SH Pine: 3-4 SH